Journal of Obstetrics and Gynaecology (1990) 10, 561–576

Index

Volume 10/1989–1990

Abdominal distension and dyspepsia, the treatment of, with enteric coated peppermint oil following routine gynaecological intraperitoneal surgery, 423

Abortion (spontaneous), an approach to the problem of recurrent middle trimester, 8

Abortion, cervical priming before first trimester aspiration,: a single blind study comparing gemeprost 1 mg and prostaglandin E_2 10 mg pessaries, 513

Abortion, first trimester, in nulliparous patients, efficacy of an intracervical prostaglandin E_2 preparation, Cerviprost, on cervical ripening before, 120

Abortion (spontaneous), histopathology, 343 (letter)

Abortion, induction of second trimester, a random allocation comparison of intracervical prostaglandin E_2 and gemeprost vaginal pessaries for, 117

Abortion, late, practice in a teaching hospital in India, 299

Abortion, middle trimester, a comparison of the efficacy of gemeprost vaginal pessaries and extra-amniotic prostaglandin E_2 gel in the induction of, 304

Abortion, middle trimester, is evacuation of the uterus necessary after, 444

Abortion (spontaneous), middle trimester missed, and uterine anomalies, 219

Abortion (spontaneous), septic, and pyogenic pericarditis due to *Pasteurella multodica*, 319

Abortion, the value of a histological examination of the products of conception after legal, 179

Abortion (spontaneous), ultrasound diagnosis of unsuspected uterine malformation in, 126

Abortion material (spontaneous), histopathology: a comparative study of 403 cases, 109

Acardia, fetal: aetiology, pathology and management: review, 518

Acidaemia and hypoxaemia at blood sampling, do they relate to perinatal outcome in intra-uterine growth retardation?, 450

Adams A. M. and Erskine K. J.: Haemoperitoneum in late pregnancy, 402

Adams M. E.: Queen Charlotte's School of Midwifery, 233

Adeghe A. J.-H., Cuthbert J. and Obhrai M.: Semen characteristics in subfertile men with spermatozoal auto-antibodies, 56

Afnan M., Madira W. M., Wilcox A. H. and Barron J. L.: Patients with polycystic ovaries and hyperandrogenism should be investigated, 451

Agwu S. C.: *see* Iloabachie G. C.

Akinyemi S. A.: *see* Makinde O. O.

Al-Amodi S.: *see* Nasrat H.

Al-Awadi S. A.: *see* Krishnamurthy D. S.

Albert D.: *see* Tuffnell D. J.

Alexander M.: *see* Beynon H. L. C.

Al-Ghazali W. H., Chapman M. G., Rissik J. M. and Allan L. D.: The significance of absent end-diastolic flow in the umbilical artery combined with reduced fetal cardiac output estimation in pregnancies at high risk for placental insufficiency, 271

Algwiser A.: *see* Mesleh R.

Allan L.: *see* Johnson P.

Allan L. D.: *see* Al-Ghazali W. H.

Allen E. M.: *see* Hunter R. W.

Al-Othman S. A.: *see* Krishnamurthy D. S.

Amniocentesis, middle trimester, performed by a single consultant obstetrician: review of 1004 cases, 212

Amniocentesis with continuous ultrasound surveillance: reduced complications with greater sampling success, 77

Amole F.: *see* Makinde O. O.

Analgesia, epidural, in labour, and race, 166 (letter)

Analgesia, epidural, in labour: second thoughts about the second stage, 499

Analgesia, epidural, for labour following previous caesarean section. A 15 year review, 1972–1987, 312

Analgesic agents, a random trial of three topical, in the treatment of episiotomy pain following instrumental vaginal delivery, 35

Anderson D. J. M. and Fenton D. W.: Management of severe secondary postpartum haemorrhage, 225

Anderson M. C.: *see* Byrne M. A.

Andrews T.: *see* Clayton-Smith J.

Aneuploidies, sex chromosome, genetic counselling and parental decisions following antenatal diagnosis, 5

Angiotensin converting enzyme activity in normal and hypertensive pregnancy, circadian variation, 124

Antacids, gastric, selective prophylaxis with. Identifying high risk parturients and auditing selective H_2 receptor antagonist administration, 106

Antithrombin III deficiency, bilateral deep vein thrombosis in a pregnant woman with: treatment of acute episodes and preparation for delivery with replacement treatment, 220

Appendix epiploica, necrosis of, presenting as acute abdomen in pregnancy, 400

Aranguren G.: *see* Matorras R.

Ardawi M.: *see* Nasrat H.

Aristidou A., Van Den Hof M. C., Grudzinskas J. G., Chard T. and Nicolaides K. H.: Gestational hormone and protein measurements in women with an unexplained maternal serum α-fetoprotein elevation, 286
Ascites, regression of fetal, in a twin pregnancy, 44
Asherman's syndrome following an uneventful caesarean section, 158
Asphyxia, perinatal: development of an 'Independence Bayes' computer prediction model, 26
Aspirin, the use of low dose, in high risk pregnancy, 239
Aspirin in pregnancy, the use of: review, 467
Auber G., Carbonara T., Di Bonito L. and Patriarca S.: Carcinoma of the neovagina following a Baldwin-Mori operation for congenital absence of the vagina, 67
Autopsy, the perinatal, a historical perspective: peer audit review, 234
Azapropazone: an alternative agent for the treatment of primary dysmenorrhoea, 406

Badger I.: *see* Johanson R.
Baekelandt M.: *see* Van Dam P. A.
Bahar A. M. and El-Ashnehi M. S.: Routine repeat curettage after primary evacuation of hydatidiform mole. Does it affect the prognosis?, 176
Baird C. H.: *see* Dougall A.
Baker P., Mackie A. and Macpherson M.: Paraneoplastic cerebellar degeneration associated with uterine leiomyomata, 66
Baldwin-Mori operation for congenital absence of the vagina, carcinoma of the neovagina following, 67
Balfour R. P.: Exercise and pregnancy, 463 (letter)
Bamford D. S.: *see* Browning J. J.
Barlow D. H.: *see* Kennedy S. H.
Barnes J.: Recollections of Queen Charlotte's Hospital, 229
Barnick C. G. W. and Cardozo L. D.: The treatment of abdominal distension and dyspepsia with enteric coated peppermint oil following routine gynaecological intraperitoneal surgery, 423
Barron J. L.: *see* Afnan M.
Bartholin's abscess in a 17 year old multipara, choriocarcinoma masquerading as a, 52
Bartholin's gland, carbon dioxide laser in the treatment of abscess and cyst, 535
Baschieri L.: *see* Cugini P.
Bashir A.: *see* Mesleh R.
Bateman M.: *see* Constantine G.
Bates R. G., Lindsay K. S., Ryder T. and Edmonds D. K.: Premature luteinisation inhibits pronuclear formation in human zona free oocytes, 451
Bates R. G.: A human zona free oocyte model for the investigation of sperm-oocyte interaction, 80
Ben-Baruch G.: *see* Menashe Y.
Bender S.: Tubal sterilisation: medicolegal aftermath, 432
Berget A.: *see* Stampe-Sørensen S.
Bergin A. M., Harrington K., Clarke T. A., McKenna P., Matthews T. G. and O'Regan M.: Very low birth weight babies: outcome related to obstetric and neonatal variables, 97
Bevan J. R.: *see* Luscombe F. E.
Beynon H. L. C., Alexander M., Robson P., Pusey C. D. and Hawkins D. F.: Acute renal failure due to obstruction of a single functioning kidney by the gravid uterus, 398
Bhathena R. K., Sheriar N. K. and Guillebaud J.: Late abortion practice in a teaching hospital in India, 299
Bhatt S. B.: *see* Meagher S. E.
Bider D.: *see* Menashe Y.
Bigrigg A., Bourne T. and Read M. D.: A comparison of the efficacy of gemeprost vaginal pessaries and extra-amniotic prostaglandin E, gel in the induction of middle trimester abortion, 304
Bigrigg A., Henshaw R. and Fleming C.: Is evacuation of the uterus necessary after middle trimester abortion?, 444
Black A.: *see* Turner M. J.
Blood flow, utero-placental, following epidural analgesia during labour, 447
Blood sampling, fetal, and caesarean section for fetal distress; results of a pilot study, 32
Blood sampling, fetal, in Dublin. A year's review, 194
Bock J. E.: *see* Stampe-Sørensen S.
Bomanji J.: *see* Jobling T. W.
Book reviews
Andrology and human reproduction (edited by A. Negro-Vilar, A. Isidori, J. Paulson, R. Abdelmassih and M. P. P. de Castro), 345
Balliére's clinical endocrinology and metabolism. International practice and research. Reproductive endocrinology (edited by H. G. Burger), 85
Dennen's forceps deliveries (P. C. Dennen), 169
Dewhurst's paediatric and adolescent gynaecology (D. K. Edmonds), 558
Douglas-Stromme operative obstetrics (F. P. Zusman and E. R. Quilligan), 558
Effective care in pregnancy and childbirth (edited by I. Chalmers, M. Enkin and M. J. N. C. Keirse), 344
Family planning. Fundamentals for health professionals (A. Cowper and C. Young), 346
Fetal and neonatal growth. Perinatal practice (edited by F. Cockburn), 84
Gynaecological endoscopy (edited by A. G. Gordon and B. V. Lewis), 345
Heart disease in women (edited by P. S. Douglas), 344
Histopathology of the endometrium (G. Dallenbach-Hellweg), 345
Hysterosalpingography and pelvic ultrasound: imaging in infertility and gynecology (I. C. Yoder), 168
Immature infant. Less than 28 weeks gestation (edited by A. Whitelaw and R. W. I. Cooke), 84
Nonhuman primates in perinatal research (edited by Y. M. Brans and T. J. Kuehl), 346
Obstetrics (edited by A. Turnbull and G. Chamberlain), 465
Obstetrics. Normal and problem pregnancies (edited by S. G. Gabbe, J. R. Niebl and J. L. Simpson), 84
Oncogenes. An introduction to the concept of cancer genes (K. B. Burck, E. T. Liu and J. W. Larrick), 345

Ovarian cancer—the way ahead (edited by F. Sharpe and W. P. Soutter), 85
Perinatal events and brain damage in surviving children (edited by F. Kubli, N. Patel, W. Schmidt and O. Linderkamp), 168
Pregnancy and risk. The basis for rational management (edited by D. K. James and G. M. Stirrat), 168
Preparation and advice for the MRCOG (V. R. Tindall, R. H. Martin and R.W. Burslem), 347
Reproduction, obstetrics and gynaecology (edited by M. G. Elder), 168
The fallopian tubes. Their role in fertility and infertility (R. H. F. Hunter), 346
The malformed fetus and stillbirth. A diagnostic approach (R. M. Winter, S. A. S. Knowles, F. R. Bieber and M. Baraitser), 169
Year book of obstetrics and gynecology 1989 (edited by D. J. Mishell, T. H. Kirschbaum and C. P. Morrow), 465
Borrell A.: *see* Ellis C. E.
Bostock J.: *see* Johnson P.
Bourne T.: *see* Bigrigg A.
Bowel symptoms, incidence of, associated with urinary incontinence, irritable bowel syndrome and detrusor instability, 453
Boyd W. D. and Turner M. J.: Spontaneous hip fracture in pregnancy due to osteogenesis imperfecta, 534
Bradgate M. G., Gupta S., Rollason T. P., Emens J. M. and Hobbs R.: Proliferating ovarian endometrioid cystadenofibroma associated with bilateral serous cystadenofibromata, 161
Breathing: puffing and panting in pregnancy, 448
Brett M. T.: *see* Frappell J. M.
British Society for Gynaecological Endoscopy, Scientific Proceedings of the, Inaugural Meeting, Postgraduate Medical Centre, Royal Surrey County Hospital, Guildford, Surrey, 2 February, 1990, 457
Britton K. E.: *see* Jobling T. W.
Bromham D. R.: *see* Griffith-Jones M. D.
Bromocriptine-intolerant patient, cabergoline therapy of a large prolactinoma, 156
Bromwich P. D.: *see* Kennedy S. H.
Brotherwood A.: *see* Constantine G.
Brown A. A.: *see* Gbinigie A. O.
Browning J. J., Goddard P. R., Bamford D. S. and Sangala A. V.: Tubal ectopic pregnancy: coincidental magnetic resonance imaging, 341
Buchan P. C.: *see* Tuffnell D. J.
Buck P.: *see* Horne G.
Bupivacaine instillation, percervical intrafallopian, to reduce postoperative pain after laparoscopic tubal sterilisation, 145
Burchell J.: *see* Jobling T. W.
Burke G.: *see* Meehan F. P.
Buserelin and human menopausal gonadotrophin, management of ovarian hyperstimulation following ovulation induction with, 330
Buytaert P.: *see* Van Dam P. A.
Byrne M. A., Taylor-Robinson D., Morse A. R., Anderson M. C. and Coleman D. V.: Women with cervical cytological atypia and genital tract infection: implications and management, 60

Cabergoline therapy of a large prolactinoma in a bromocriptine-intolerant patient, 156
Caesarean section, Asherman's syndrome following an uneventful, 158
Caesarean section, necrotising fasciitis following, 131
Caesarean section, pseudo-obstruction of the colon following, 321
Caesarean section, regional epidural analgesia for labour following previous. A 15 year review, 1972–1987, 312
Caesarean section, the incidence of glove puncture during, 317
Caesarean section, use of cephradine prophylaxis of infection after; stepwise logistic regression analysis of relevant factors, 204
Caesarean section for fetal distress, and fetal blood sampling; results of a pilot study, 32
Caesarean sections, vaginal delivery after two, 48
Calder A. A.: *see* Greer I. A.
Cameron D. S.: *see* Murty G. E.
Campbell J. M., Pace D., O'Brien C. J., Hancock K. and Child J. A.: Primary peripheral 'T' cell lymphoma of the cervix, 160
Campbell S.: *see* Riddle A. F.
Carbon dioxide laser in the treatment of abscess and cyst of Bartholin's gland, 535
Carbonara T.: *see* Auber G.
Carcinoma, advanced ovarian, following previous conservative treatment of borderline tumour, 257
Carcinoma, endometrial, an audit of: the value of routine follow up, 548
Carcinoma, fallopian tube, 158
Carcinoma, fallopian tube, in pregnancy, 221
Carcinoma, primary vaginal transitional cell, 69
Carcinoma, rectal, in pregnancy, 533
Carcinoma of the cervix, para-aortic lymph node biopsy before radical hysterectomy in early, 335
Carcinoma of the colon and twin pregnancy, 129
Carcinoma of the neovagina following a Baldwin-Mori operation for congenital absence of the vagina, 67
Carcinoma of the vulva in pregnancy, 47
Cardozo L. D.: *see* Barnick C. G. W.
Carlisle experience: the elusive listeriosis in pregnancy, 373
Carter D.: *see* Lennox C. E.
Caserta D.: *see* Cugini P.
Cephradine prophylaxis of infection after caesarean section, use of: stepwise logistic regression analysis of relevant factors, 204
Cerebellar degeneration, paraneoplastic, associated with uterine leiomyomata, 66
Cervical circlage, steel wire, 10
Cervical cytological atypia and genital tract infection: implications and management, 60
Cervical excitation and adnexal mass caused by Meckel's diverticulitis, 156

Cervical intra-epithelial neoplasia, a simple histo-morphometric study of cone biopsies following failure of laser ablation therapy for, 440
Cervical intra-epithelial neoplasia, cytomegalovirus in women with, 153
Cervical intra-epithelial neoplasia, female homosexuality and, 446
Cervical intra-epithelial neoplasia, medical audit in the follow up of patients treated for, 78
Cervical mucus disorders, dysfunctional ovulation in infertile women with, 428
Cervical ripening, pre-induction, with extra-amniotic and vaginal prostaglandin E_2, 18
Cervicitis, primary herpetic, in pregnancy: a diagnostic problem, 46
Cerviprost, efficacy of an intracervical prostaglandin E_2 preparation on cervical ripening before first trimester abortion in nulliparous patients, 120
Cervix, cold coagulation ablation, comparison of the outcome of laser and, 82
Cervix, long vaginal: a clinical entity, 333
Cervix, para-aortic lymph node biopsy before radical hysterectomy in early carcinoma, 335
Cervix, primary peripheral 'T' cell lymphoma of the, 160
Cervix, uterine, clinical value of Schiller's test in colposcopic examination, 545
Chang A. M. Z.: *see* Rogers M. S.
Chapman M.: *see* Rymer J.
Chapman M. G.: *see* Al-Ghazali W. H.
Chapman M. G.: *see* Rodin A.
Chard T.: *see* Aristidou A.
Child J. A.: *see* Campbell J. M.
Chin S. C., Murray A., Maresh M. J. A. and Walton S. M.: The use of prostaglandin E_2 gel for induction of labour in nulliparous patients with a Bishop score of 4 or less, 103
Chorioangioma, antenatal diagnosis of a placental, 529
Chorioangioma associated with elevated maternal α-fetoprotein, neonatal thrombocytopenic purpura and hepatosplenomegaly, 221
Choriocarcinoma, primary, of the fallopian tube mimicking a ruptured ectopic pregnancy, 68
Choriocarcinoma masquerading as a Bartholin's abscess in a 17 year old multipara, 52
Chorionic villus biopsy and *in situ* DNA hybridisation with a Y probe and biotin-streptavidin-polyalkaline phosphatase labelling, 1
Chromosomal abnormalities in the second trimester, fetal macrocytosis in association with, 74
Chung L. C.: *see* Rapkin A.
Cigarette smoking, ultrastructural investigation of the effects of, on the human placenta, 289
Clark T. J.: *see* Wyatt M. G.
Clarke S.: *see* Rodin A.
Clarke T. A.: *see* Bergin A. M.
Clayton-Smith J., Andrews T. and Donnai D.: Genetic counselling and parental decisions following antenatal diagnosis of sex chromosome aneuploidies, 5
Clinical trials—meta-analysis, confidence limits and 'intention to treat' analysis, 259 (editorial)
Coleman D. V.: *see* Byrne M. A.
Colley N. V.: *see* Knott P. D.
Collins M. F.: *see* Ruparelia B. A.
Collins M. F.: *see* Iqbal P.
Colon, carcinoma of the, and twin pregnancy, 129
Colon, pseudo-obstruction of, following caesarean section, 321
Colpermin (enteric coated peppermint oil), the treatment of abdominal distension and dyspepsia with, following routine gynaecological intraperitoneal surgery, 423
Comfort A.: Has sexual behaviour really changed with time?, 351
Cone biopsies, a simple histo-morphometric study, following failure of laser ablation therapy for cervical intra-epithelial neoplasia, 440
Cone biopsies, exfoliative cytology as a means of following incomplete: a pilot study, 149
Cone biopsy, cervical, is routine endometrial curettage of value at, 253
Cone biopsy, cold knife: suitability for day case surgery, 435
Connolly C. E.: *see* Mortimer G.
Constantine G., Luesley D. M., O'Connor A., Goulding J., Bateman M. and Brotherwood A.: The use of Entonox in conjunction with a rebreathing humidifier, 23
Contraceptive coil, extra-uterine, despite visible threads through the cervix, 555
Contraceptive device, intra-uterine, and leukaemia, 163
Cooke I. D.: *see* Li T. C.
Cotton R. E.: *see* Mohajer M. P.
C-reactive protein response *in utero*, 367
Crosfill F.: *see* Walkinshaw S. A.
Cugini P., Letizia C., Di Palma L., Caserta D., Moscarini M. and Scavo D.: Circadian variation in serum angiotensin converting enzyme activity in normal and hypertensive pregnancy, 124
Cullen's sign, an ectopic pregnancy with, 43
Cullimore J., Roland J. and Turner G.: The management of diabetic pregnancy in a regional centre. A five year review, 171
Cullimore J. E.: *see* Ferryman S. R.
Cullinane C., Turner M. J., Ryan K., Stronge J. M. and Kelehan P.: Histopathology of spontaneous abortion, 343 (letter)
Curling M.: *see* Pyper R. J. D.
Cuthbert J.: *see* Adeghe A. J.-H.
Cyclosporin, successful pregnancy following liver transplantation in a patient taking, 396
Cytology, exfoliative, as a means of following incomplete cone biopsies: a pilot study, 149
Cytomegalovirus in women with cervical intra-epithelial neoplasia, 153

Danazol, umbilical endometriosis successfully treated with, 553
Dandona P.: *see* Tayob Y.
Danish national representative sample, pregnancy related disease, hospital admission and sick leave, 13

Darrell J. H.: *see* Turner M. J.
Davies G. C., Letchworth A. T. and Diamond I.: A comparison of Filshie and Hulka-Clemens clips used in sterilisation operations, 251
Davies G. C. and Henry R. J. W.: Fallopian tube carcinoma in pregnancy, 221
Davies N. J.: Twin pregnancy associated with uterus didelphys, 44
Davison J. M.: *see* Murty G. E.
Daw E. and Sen S.: Laparoscopic sterilisation by diathermy in the puerperium revisited, 463 (letter)
Daw E. G.: *see* Ibrahim Z.
Dawson A. A.: *see* Mahmood T. A.
Dawson W. G.: Vaginal delivery after two caesarean sections, 48
De Louvois J.: Milk banking at Queen Charlotte's, 235
De Louvois J.: *see* Skingle J.
De Santis L.: *see* Sesti F.
De Swiet M.: The use of low dose aspirin in high risk pregnancy, 239
De Swiet M. and Fryers G.: Review: the use of aspirin in pregnancy, 467
De Swiet M.: *see* Robson S. C.
Deery A.: *see* Giles J.
Delivery, breech, 506
Delivery, influence of birth weight on the mode of, in primigravidae, 526
Demir R., Ülner M., Erbengi T. and Kaya M.: Ultrastructural investigation of the effects of cigarette smoking on the human placenta, 289
Dempster J.: *see* Mires G. J.
Depression, postnatal: predisposition and prediction, 238
Destouni H.: *see* Salmanidis A.
Dettori A.: *see* Megha A.
Dewhurst J.: A short history of Queen Charlotte's Hospital, 229
Di Bonito L.: *see* Auber G.
Di Palma L.: *see* Cugini P.
Diab M. R.: *see* Krishnamurthy D. S.
Diabetes, antenatal screening for gestational; the Riyadh Armed Forces Hospital experience, 276
Diabetes mellitis, maturity onset, in association with polycystic ovarian disease, 553
Diabetic pregnancy, the management of, in a regional centre. A five year review, 171
Diabetics, non-insulin dependent, pregnancy in Saudi Arabian, 357
Diamond I.: *see* Davies G. C.
Didelphys, uterus, twin pregnancy, 218
Didelphys, uterus, twin pregnancy associated with, 44
Diez J.: *see* Matorras R.
Dimitry E. S. and Morcos M. Y.: The increasing incidence of ectopic pregnancy: 193 cases in ten years in the Medway towns, 181
Dimitry E. S.: Cephalic replacement: a desperate solution for shoulder dystocia, 49
Disease, pregnancy related, hospital admission and sick leave: a Danish national representative sample, 13
Docker M. F.: *see* Tang L.
Dockery P.: *see* Li T. C.
Donchin Y.: *see* Mor-Yosef S.
Donnai D.: *see* Clayton-Smith J.
Donnelly V.: *see* McGuiness E. P. J.
Dooley M. M. and Marson L.: Salivary ferning: can it detect ovulation? 452
Dougall A. and Baird C. H.: Chorioangioma associated with elevated maternal α-fetoprotein, neonatal thrombocytopenic purpura and hepatosplenomegaly, 221
Dublin, fetal blood sampling in. A year's review, 194
Duffy S. and Sundaresan V.: Uterine perforation: a complication of molar pregnancy follow-up, 50
Duncan I. D.: *see* Gemmell J. A.
Duncan S. L. B.: *see* Li T. C.
Dunstan M. K.: *see* Haloob R.
Dysmenorrhoea, an alternative agent for the treatment of primary: azapropazone, 406
Dyspepsia and abdominal distension, the treatment of, with enteric coated peppermint oil following routine gynaecological intraperitoneal surgery, 423
Dystocia, shoulder, a desperate solution for: cephalic replacement, 49

Eclampsia, seizure prophylaxis using phenytoin in severe pre-eclampsia and, 449
Ectopic pregnancy, palpable ureteric calculi—a differential diagnosis, 342
Ectopic pregnancy, primary choriocarcinoma of the fallopian tube mimicking a ruptured, 68
Ectopic pregnancy, the increasing incidence of: 193 cases in ten years in the Medway towns, 181
Ectopic pregnancy, tubal: coincidental magnetic resonance imaging, 341
Ectopic pregnancy, unilateral dizygotic twin interstitial, in a Nigerian woman, 527
Ectopic pregnancy and gynaecological tuberculosis, 425
Ectopic pregnancy with Cullen's sign, 43
Edmonds D. K.: *see* Bates R. G.
Egan D. M.: *see* Turner M. J.
Ejim O. S.: *see* Tayob Y.
Ekpo M. D.: Hydatidform mole in Nigeria, 363
El-Ashnehi M. S.: *see* Bahar A. M.
Elder M. G.: *see* Sullivan M. H. F.
Ellis C.: *see* Maclachlan N.
Ellis C. E., Fisk N. M., Borrell A., Nicolini U. and Rodeck C. H.: The role of invasive procedures in the management of feto-fetal transfusion syndrome, 77
Ellis J. D.: *see* Richenberg J. L.
Elstein M.: *see* Killick S.
Emens J. M.: *see* Bradgate M. G.
Emohare L. I. and Naismith W. C. K.: Primary choriocarcinoma of the fallopian tube mimicking a ruptured ectopic pregnancy, 68
Encephalitis, influenza B, in pregnancy, 530
Endometrial ablation, radiofrequency, 460
Endometrial biopsy, outpatient, discomfort, in relation to parity and techniques, 243
Endometrial carcinoma, an audit of: the value of routine follow up, 548
Endometrial evidence of ovulation in regular 'pill' users, 79
Endometrial resection: Oxford results, 457
Endometriosis, cyclical shoulder tip pain in. What does it signify?, 554

Endometriosis, umbilical, successfully treated with danazol, 553
Endometriosis documented by laparoscopy, rapid development of, 66
England and Wales, fetal monitoring, current practice in, 281
Entonox, the use of, in conjunction with a rebreathing humidifier, 23
Enugu, the increasing incidence and declining mortality of ruptured uterus in, 306
Epidural analgesia, labour with: second thoughts about the second stage, 499
Epidural analgesia, regional, for labour following previous caesarean section. A 15 year review, 1972–1987, 312
Epidural analgesia during labour, utero-placental blood flow following, 447
Epilepsy, the course and outcome of pregnancy in women with, a 6-year prospective study, 483
Episiotomy pain following instrumental vaginal delivery, a random trial of three topical analgesic agents in the treatment of, 35
Episiotomy repair—suture material and short term morbidity, 503
Erbengi T.: *see* Demir R.
Erskine K. J.: *see* Adams A. M.
Etchin A. C.: *see* Menashe Y.
Etheridge R. J.: *see* Schlesinger P. E.
Exercise and pregnancy, 463 (letter)

Faleyimu B. F.: *see* Ogunniyi S. O.
Fallopian tube carcinoma, 158
Fallopian tube carcinoma in pregnancy, 221
Faragher B.: *see* Killick S.
Fasubaa O. B.: *see* Ogunniyi S. O.
Felding C., Mikkelsen A. L. and Peen U.: Laparoscopy and ultrasound in patients with chronic pelvic pain, 419
Felding C.: *see* Jensen L. M.
Fenakel K.: *see* Lurie S.
Fenton D. W.: *see* Anderson D. J. M.
Ferryman S. R., Rollason T. P. and Cullimore J. E.: A simple histo-morphometric study of cone biopsies following failure of laser ablation therapy for cervical intra-epithelial neoplasia, 440
Fetal heart rate responses to maternal exercise, increased maternal temperature and maternal circadian variation, 387
Fetal monitoring. Current practice in England and Wales, 281
Fetal surgery, 237
Feto-fetal transfusion syndrome, the role of invasive procedures in the management of, 77
α-Fetoprotein, chorioangioma associated with elevated maternal, neonatal thrombocytopenic purpura and hepatosplenomegaly, 221
α-Fetoprotein elevation, maternal serum, gestational hormone and protein measurements in women with an unexplained, 286
α-Fetoprotein in intra-uterine parvovirus infection, poor prognosis associated with raised maternal serum, 186
Filshie and Hulka-Clemens clips used in sterilisation operations, a comparison of, 251
Finzi G.: *see* Megha A.
Fisher A. M.: *see* Meagher S. E.
Fisk N. M., Tannirandorn Y., Nicilini U., Letsky E. A. and Rodeck C. H.: Fetal macrocytosis in association with chromosomal abnormalities in the second trimester, 74
Fisk N. M.: *see* Ellis C. E.
Fisk N. M.: *see* Maclachlan N.
Flannelly G., Turner M. J., Lenehan P., Kelehan P. and Murphy J. F.: Is routine endometrial curettage of value at cervical cone biopsy?, 253
Fleming C.: *see* Bigrigg A.
Fleming J. E. E.: *see* Hanretty K. P.
Fogelman I.: *see* Rodin A.
Fogelman I.: *see* Rymer J.
Fothergill D. J.: *see* Millar D. R.
Fox R. and Turner M. J.: Umbilical endometriosis successfully treated with danazol, 553
Fox R. and Wardle P. G.: Maturity onset diabetes mellitus in association with polycystic ovarian disease, 553
Frappell J. M., Steel S. A., Brett M. T. and Pearce J. M.: Antenatal diagnosis of a placental chorioangioma, 529
Fryers G.: *see* de Swiet M.
Fusi L. and Macaulay J.: Induction of labour with vaginal prostaglandins. A random trial comparing pessaries and gels with different concentrations, 76
Fusi L.: Utero-placental blood flow following epidural analgesia during labour, 447
Fusi L.: *see* Vaughan J. I.

Gaffney G. M.: *see* Gleeson N. C.
Gastroschisis—optimal mode of perinatal management, 449
Gaughan B.: Twin pregnancy: can perinatal mortality be improved?, 40
Gbinigie A. O. and Brown A. A.: The elusive listeriosis in pregnancy: the Carlisle experience, 373
Gbolade B. A.: *see* Makinde O. O.
Gemeprost vaginal pessaries, a random allocation comparison of intracervical prostaglandin E_2 and, for induction of second trimester abortion, 117
Gemeprost vaginal pessaries and extra-amniotic prostaglandin E_2 gel in the induction of middle trimester abortion, a comparison of the efficacy of, 304
Gemeprost 1 mg and prostaglandin E_2 10 mg pessaries, a single blind study comparing: cervical priming before first trimester aspiration abortion, 513
Gemmell J. A., Kennedy R. and Duncan I. D.: Cold knife cone biopsy: suitability for day care surgery, 435
Genetic counselling and parental decisions following antenatal diagnosis of sex chromosome aneuploidies, 5
Geraghty A. V.: *see* Luscombe F. E.

Gestational hormone and protein measurements in women with an unexplained maternal serum α-fetoprotein elevation, 286
Giacomello F., Noccioli G., Giovarruscio M. and Baschieri L.: Ultrasound diagnosis of unsuspected uterine malformation in abortion, 126
Gibson D. H.: Breech delivery, 506
Giles J., Lim J., Deery A. and Walker P.: Medical audit in the follow up of patients treated for cervical intra-epithelial neoplasia, 78
Giovarruschio M.: *see* Cugini P.
Gleeson N. C. and Gaffney G. M.: Ventrosuspension—five years of practice at Rotunda Hospital reviewed, 415
Glove puncture, the incidence of, during caesarean section, 317
Glover V.: *see* Sandler M.
Goddard P. R.: *see* Browning J. J.
Golland I. M.: Female homosexuality and cervical intra-epithelial neoplasia, 446
Gonadotrophin, human menopausal, management of ovarian hyperstimulation following ovulation induction with buserelin and, 330
Goodman J. D. S.: *see* Sumner D.
Gordon A. G.: Salpingoscopy, 457
Gordon H.: *see* Turner M. J.
Goulding J.: *see* Constantine G.
Granowska M.: *see* Jobling T. W.
Grant J. M.: *see* Smith J. R.
Green A. R. T.: *see* Matthias G. S. H.
Greer I. A. and Calder A. A.: Pre-induction cervical ripening with extra-amniotic and vaginal prostaglandin E_2, 18
Griffin N. R.: *see* Thornton J. G.
Griffith-Jones M. D. and Bromham D. R.: Cyclical shoulder tip pain in endometriosis. What does it signify?, 554
Grudzinskas J. G.: *see* Aristidou A.
Grudzinskas J. G.: *see* Riddle A. F.
Guillebaud J.: *see* Bhathena R. K.
Gunasekera P. C., Phipps J. H. and Lewis B. V.: Advanced ovarian carcinoma following previous conservative treatment of borderline tumour, 257
Gunasekera P. C.: *see* Phipps J. H.
Gupta S.: *see* Bradgate M. G.
Gutiérrez de Téran G.: *see* Matorras R.
Gynocheck instrument, an evaluation of histological assessment of endometrial samples obtained by, 83

Haemoperitoneum in late pregnancy, 402
Haemorrhage, feto-maternal, complicating warfarin therapy during pregnancy, 401
Haemorrhage, management of severe secondary postpartum, 225
Haemorrhage, primary postpartum, acute promyelocytic leukaemia presenting as, 131
Haemorrhage, primary postpartum, intramyometrial prostaglandin E_2 and, 166 (letter)
Hall M. H.: *see* Mahmood T. A.
Haloob R., Nkuo K. and Dunstan M. K.: The HELLP syndrome: a report of seven cases, 376
Hammonds J. C.: *see* Wyatt M. G.
Hancock K.: *see* Campbell J. M.
Hannah P.: *see* Sandler M.
Hanretty K. P., Neilson J. P. and Fleming J. E. E.: Re-evaluation of clinical estimation of fetal weight. A comparison with ultrasound, 199
Harrington K.: *see* Bergin A. M.
Harris V. G.: *see* Ruparelia B. A.
Harvey D. R.: *see* Skingle J.
Hawkins D. F.: Clinical trials—meta-analysis, confidence limits and 'intention to treat' analysis, 259 (editorial)
Hawkins D. F., Meagher S. E. and Lim K. B.: Steel wire cervical circlage, 10
Hawkins D. F.: *see* Beynon H. L. C.
Hawkins D. F.: *see* Turner M. J.
Hayat A. A.: *see* Krishnamurthy D. S.
Heah J.: Fetal monitoring. Current practice in England and Wales, 281
Heart rate responses, fetal, to maternal exercise, increased maternal temperature and maternal circadian variation, 387
Hebblethwaite N.: *see* Johanson R.
Heinonen P. K.: Carbon dioxide laser in the treatment of abscess and cyst of Bartholin's gland, 535
Heisterberg L.: *see* Stampe-Sørensen S.
HELLP syndrome: a report of seven cases, 376
Henry R. J. W.: *see* Davies G. C.
Henshaw R.: *see* Bigrigg A.
Hepatic vein and liver haematoma, postpartum rupture of, 210
Hepatosplenomegaly, chorioangioma associated with elevated maternal α-fetoprotein, neonatal thrombocytopenic purpura and, 221
Herpetic cervicitis, primary, in pregnancy: a diagnostic problem, 46
Heyderman E. and Richardson T. C.: Immunostaining to demonstrate thyroid differentiation in a benign ovarian teratoma, 71
Hipple L. J.: *see* Prentice A.
Histological examination of the products of conception after legal abortion, the value of, 179
Hitchcock A.: *see* Mohajer M. P.
Hobbs R.: *see* Bradgate M. G.
Holbrook M. J.: *see* Mattias G. S. H.
Homosexuality, female, and cervical intra-epithelial neoplasia, 446
Hone S. W.: *see* Mooney E. E.
Hood G.: *see* Wheatley R. G.
Horne G., Ibrahim Z. H. Z., Matson P. L., Buck P. and Lieberman B. A.: Management of ovarian hyperstimulation following ovulation induction with buserelin and human menopausal gonadotrophin, 330
Hospital admission, sick leave and pregnancy related disease: a Danish national representative sample, 13
House M. J.: *see* Khan G. Q.
Howell C.: *see* Johanson R.
Hørding U., Petersen K. R., Roespsdorff C., Kamper-Jørgensen F. and Larsen J. F.: Pregnancy related disease, hospital admission and sick leave: a Danish national representative sample, 13
Hulka-Clemens and Filshie clips used in sterilisation operations, a comparison of, 251

Hunter R. W. and Allen E. M.: The course and outcome of pregnancy in women with epilepsy—a 6-year prospective study, 483
Hunter-Craig I. R.: *see* Ogunsanya O. A.
Hurley P. A.: Puffing and panting in pregnancy, 448
Hurley R.: A symposium to celebrate the 250th anniversary of Queen Charlotte's Hospital, held on 3rd July 1989, 229
Hurley R.: *see* Sanmuganathan L.
Hurley R.: *see* Skingle J.
Hydatid disease in pregnancy, 128
Hydatidiform mole, routine repeat uterine curettage after primary evacuation of. Does it affect the prognosis?, 176
Hydatidiform mole in Nigeria, 363
Hydrops, successful treatment of non-immune, 450
Hyperandrogenism, patients with polycystic ovaries and, should be investigated, 451
Hypertension, platelet malfunction preceding the onset of pregnancy induced, 215
Hypertension, severe pregnancy induced, preliminary observations on treatment of thrombocytopenia and impaired liver function in, with nifedipine, 492
Hypoxaemia and acidaemia at blood sampling, do they relate to perinatal outcome in intra-uterine growth retardation?, 450
Hysterectomy, para-aortic lymph node biopsy before radical, in early carcinoma of the cervix, 335
Hysterectomy, the incidence and prevalence of, 155

Ibrahim Z. and Daw E. G.: Fallopian tube carcinoma, 158
Ibrahim Z. H. Z.: *see* Horne G.
Ikedife D.: Long vaginal cervix: a clinical entity, 333
Iloabachie G. C. and Agwu S. C.: The increasing incidence and declining mortality of ruptured uterus in Enugu, 306
Immunostaining to demonstrate thyroid differentiation in a benign ovarian teratoma, 71
In vitro fertilisation and embryo transfer, the biochemical and ultrasound diagnosis of ectopic pregnancy in pregnancies established by, 81
Incontinence, genuine stress, pelvic floor exercises for: cones *versus* physiotherapy, 79
'Independence Bayes' computer prediction model, development of: perinatal asphyxia, 26
India, late abortion practice in a teaching hospital in, 299
Infection, genital tract, women with cervical cytological atypia and: implications and management, 60
Infertility due to a short follicular phase, 256
Influenza B encephalitis in pregnancy, 530
Intestinal obstruction in pregnancy, conservative treatment of, 127
Iqbal I.: *see* Ruparelia B. A.
Iqbal P., Ruparelia B. A., Robson P., Johnson I. R. and Collins M. F.: Clinical evaluation of the use of povidone-iodine powder in caesarean section wounds, 41
Irradiation induction of the menopause and long term follow up in patients suffering from dysfunctional uterine bleeding, 323
Irvine L. M. and Shaw R. W.: Efficacy of an intracervical prostaglandin E_2 preparation, Cerviprost, on cervical ripening before first trimester abortion in nulliparous patients, 120
Irvine L. M. and Shaw R. W.: Fetal blood sampling and caesarean section for fetal distress; results of a pilot study, 32

Jackson C.: *see* MacKenzie I. Z.
Jacobs H. S.: *see* Owen E. J.
Jamal H.: *see* Nasrat H.
James D. K.: *see* Irvine L. M.
James D. K.: *see* Moore W.
Jarvis K. J.: *see* Schlesinger P. E.
Jensen L. M. and Felding C.: Influenza B encephalitis in pregnancy, 530
Jobling T. W., Granowska M., Britton K. E., Burchell J., Naeem M., Lowe D. G., Nimmon C. C., Bomanji J., Mather S. J. and Shepherd J. H.: Radio-immunoscintigraphy using stripped mucin monoclonal antibody, SM-3, in the assessment of pelvic masses, 82
Johanson R. and Hebblethwaite N.: An ectopic pregnancy with Cullen's sign, 43
Johanson R., Ward R., Sherlock D. and Menon V.: Postpartum rupture of liver haematoma and hepatic vein, 210
Johanson R., Wilson J. A., Howell C. and Badger I.: Septic abortion and pyogenic pericarditis due to *Pasteurella multodica*, 319
Johnson I. R.: *see* Iqbal P.
Johnson I. R.: *see* Robson P.
Johnson I. R.: *see* Ruparelia B. A.
Johnson J.: *see* Sullivan M. H. F.
Johnson P., Maxwell D., Lindsay A. M., Tynan M. and Bostock J.: Direct measurement of intra-uterine fetal pressures, 448
Jonas E. G. and Strickland P.: Irradiation induction of the menopause and long term follow-up in patients suffering from dysfunctional uterine bleeding, 323
Jones D. C. S. and Pheby A.: The modified Millin retractor in gynaecology, 551
Judzewitsch R.: *see* Mesleh R.

Kamper-Jørgensen F.: *see* Hørding U.
Karpathios S. E., Phylactou M., Papandrikos A. J. and Vassiliou-Souvantzoglou I.: Evaluation of tubal patency with radio-isotopic salpingography and hysterosalpingography, 538
Katz M.: *see* Serhal P. F.
Kaya M.: *see* Demir R.
Keelan P.: *see* Mooney E. E.
Kehoe J., McKenna P. and McLean P.: Review of urinary tract fistulas in the Rotunda Hospital from the years 1976–1986, 54
Kelehan P.: *see* Cullinane C.
Kelehan P.: *see* Flannelly G.
Kelly J. and McHugo J. M.: Regression of fetal ascites in a twin pregnancy, 44
Kennedy R.: *see* Gemmell J. A.

Kennedy S. H., Bromwich P. D. and Barlow D. H.: Rapid development of endometriosis documented by laparoscopy, 66
Khan G. Q. and House M. J.: Middle trimester amniocentesis performed by a single consultant obstetrician: review of 1004 cases, 212
Kidd G. M.: *see* MacDonald J. H.
Killick S., Faragher B. and Elstein M.: Azapropazone: an alternative agent for the treatment of primary dysmenorrhoea, 406
King H.: *see* Li T. C.
Kinsella S. M. and Spencer J. A. D.: Transverse lie is a risk factor for supine inferior vena cava compression, 130
Kirwan P. H.: *see* Wood P. L.
Knott P. D. and Colley N. V.: Amniocentesis with continuous ultrasound surveillance: reduced complications with greater sampling success, 77
Krishnamurthy D. S., Naguib K. K., Al-Awadi S. A., Sundereshan T. S., Al-Othman S. A., Hayat A. A., Moustafa A. N. and Diab M. R.: Clinical and cytogenetic studies in familial polycystic ovarian disease, 133
Kristensen J.: *see* Thomsen S. G.

Lamont R. F.: *see* White B.
Laparoscopic laser surgery: 8 years experience, 458
Laparoscopy, miniature, 458
Laparoscopy and ultrasound in patients with chronic pelvic pain, 419
Larsen J. F.: *see* Hørding U.
Laser, carbon dioxide, in the treatment of abscess and cyst of Bartholin's gland, 535
Laser ablation therapy for cervical intra-epithelial neoplasia, a simple histo-morphometric study of cone biopsies following failure of, 440
Laser surgery, laparoscopic: 8 years experience, 458
Legarth J.: *see* Thomsen S. G.
Leitizia C.: *see* Cugini P.
Lenehan P.: *see* Flannelly G.
Lenney W.: *see* Sharland M.
Lennox C. E., Carter D., Patel N. B. and Taylor D. J.: The impact of ultrasound screening on the apparent incidence of prolonged pregnancy, 213
Letchworth A. T.: *see* Davies G. C.
Letchworth A. T.: *see* White B.
Letsky E. A.: *see* Fisk N. M.
Leukaemia, acute promyelocytic, presenting as primary postpartum haemorrhage, 131
Leukaemia, intra-uterine contraceptive device and, 163
Lewis B. V.: *see* Gunasekera P. C.
Lewis B. V.: *see* Phipps J. H.
Lewis F. A.: *see* Thornton J. G.
Li T. C., Dockery P., Rogers A. W. and Cooke I. D.: Histological and clinical features of menstruation induced by the antiprogestin mifepristone (RU486) compared to menstruation occurring spontaneously, 411
Li T. C., King H. and Cooke I. D.: The discomfort of outpatient endometrial biopsy in relation to parity and techniques, 243
Li T. C., Smith A. R. B. and Duncan S. L. B.: Feto-maternal haemorrhage complicating warfarin therapy during pregnancy, 401
Lieberman B. A.: *see* Horne G.
Lilford R. J.: *see* Thornton J. G.
Lim J.: *see* Giles J.
Lim K. B.: *see* Hawkins D. F.
Lindeque B. G.: Umbilical metastases in patients with gynaecological malignancy, 338
Lindsay A. M.: *see* Johnson P.
Lindsay K. S.: *see* Bates R. G.
Linton G.: *see* Thornton J. G.
Listeriosis in pregnancy, the elusive: the Carlisle experience, 373
Liu D. T. Y.: *see* Mohajer M. P.
Liver function, impaired, preliminary observations on treatment of thrombocytopenia and, with nifedipine, in severe pregnancy induced hypertension, 492
Liver haematoma and hepatic vein, postpartum rupture of, 210
Liver transplantation, successful pregnancy following, in a patient taking cyclosporin, 396
Long S. V.: *see* Mortimer G.
Lowe D.: *see* Pyper R. J. D.
Lowe D. G.: *see* Jobling T. W.
Luesley D. M.: *see* Constantine G.
Lurie S. and Fenakel K.: Preliminary observations on treatment of thrombocytopenia and impaired liver function in severe pregnancy induced hypertension with nifedipine, 492
Luscombe F. E., Pounder D., Geraghty A. V. and Bevan J. R.: Percervical intrafallopian bupivacaine instillation to reduce postoperative pain after laparoscopic tubal sterilisation, 145
Lymphoma, non-Hodgkin's, in pregnancy, 531
Lymphoma, primary peripheral 'T' cell, of the cervix, 160

McClelland H. R.: Palpable ureteric calculi—a differential diagnosis of ectopic pregnancy?, 342
McCormack J.: *see* Tang L.
McGuiness E. P. J. and Donnelly V.: Twin pregnancy in a uterus didelphus, 218
McGuire M. T.: *see* Rapkin A.
McHugo J. M.: *see* Kelly J.
McKenna P.: *see* Bergin A. M.
McKenna P.: *see* Kehoe J.
McKenna P.: *see* Mooney E. E.
McKenzie E. N.: Miniature laparoscopy, 458
McKinlay E.: *see* MacKenzie I. Z.
McLean P.: *see* Kehoe J.
McParland P., Steel S. and Pearce J. M.: The clinical implications of absent end diastolic frequencies in the umbilical artery, 74
McParland P.: Gastroschisis—optimal mode of perinatal management?, 449
McQueen D., Neilson J. P. and Whittle M. J.: Pre-labour rupture of membranes with an unripe cervix: a random trial of management, 495
Macaulay J.: *see* Fusi L.
MacAulay J. H.: *see* Meagher S. E.
MacDonald D.: *see* Murphy K. W.

MacDonald J. H. and Kidd G. M.: An audit of endometrial carcinoma: the value of routine follow up, 548
MacDonald R.: Minimally invasive surgery: the future, 460
MacKenzie I. Z., Jackson C., McKinlay E. and Millar J.: Cervical priming before first trimester aspiration abortion: a single blind study comparing gemeprost 1 mg and prostaglandin E_2 10 mg pessaries, 513
MacKenzie I. Z.: Intramyometrial prostaglandin E_2 and primary postpartum haemorrhage, 166 (letter)
Mackenzie W. E.: *see* Winter H.
Mackie A.: *see* Baker P.
Maclachlan N., Fisk N. M., Nicolini U., Ellis C. and Rodeck C. H.: Does absent end diastolic flow in the umbilical artery always signify chronic compromise?, 75
Macpherson M.: *see* Baker P.
Macrocytosis, fetal, in association with chromosomal abnormalities in the second trimester, 74
Madej T. H.: *see* Wheatley R. G.
Madira W. M.: *see* Afnan M.
Magnetic resonance imaging, coincidental: tubal ectopic pregnancy, 341
Magos A.: Endometrial resection: Oxford results, 457
Mahendran S. M. and Sturdee D. W.: Necrosis of appendix epiploica presenting as acute abdomen in pregnancy, 400
Mahmood T. A., Hall M. H., Neilly I. J. and Dawson A. A.: Acute promyelocytic leukaemia presenting as primary postpartum haemorrhage, 131
Maisey M. N.: *see* Rodin A.
Makinde O. O., Gbolade B. A. and Akinyemi S. A.: Unilateral tubal twin pregnancy, 165 (letter)
Makinde O. O., Ogunniyi S O. and Amole F.: Divalent metals in serum in Nigerian mothers and their neonates, 510
Malignant mesothelioma of the ovary, primary, 70
Manotti C.: *see* Megha A.
Margaritis B.: *see* Salmanidis A.
Marson L.: *see* Dooley M. M.
Mashiter G.: *see* Rodin A.
Masil J. R.: A study of long term use of polyvinyl chloride ring pessaries without frequent change, 64
Mason B. A.: *see* Owen E. J.
Mason B. A.: *see* Riddle A. F.
Mather S. J.: *see* Jobling T. W.
Matorras R., Diez J., Pereira J. G., Montoya F., Gutiérrez di Téran G., Aranguren G. and Rodriguez-Escudero F. J.: True knots in the umbilical cord: clinical findings and fetal consequences, 383
Matson P. L.: *see* Horne G.
Matthews T. G.: *see* Bergin A. M.
Matthias G. S. H. and Green A. R. T.: Co-existent tuberculosis of the cervix and carcinoma, 72
Matthias G. S. H. and Holbrook M. J.: Pregnancy in a rudimentary uterine horn: diagnosis and complications, 216
Maxwell D.: *see* Johnson P.
Meagher S. E., Bhatt S. B., MacAulay J. H. and Fisher A. M.: Accidental bolus infusion of oxytocin, 403
Meagher S. E.: *see* Hawkins D. F.
Meckel's diverticulitis, cervical excitation and adnexal mass caused by, 156
Medway towns, the increasing incidence of ectopic pregnancy: 193 cases in ten years in, 181
Meehan F. P., Rafla N. M. and Burke G.: Regional epidural analgesia for labour following previous caesarean section. A 15 year review, 1972–1987, 312
Megha A., Finzi G., Poli T., Manotti C. and Dettori A. G.: Bilateral deep vein thrombosis in a pregnant woman with antithrombin III deficiency: treatment of acute episodes and preparation for delivery with replacement treatment, 220
Membranes, pre-labour rupture of, with an unripe cervix: a random trial of management, 495
Menashe Y., Bider D., Ben-Baruch G., Perl A. J. and Etchin A. C.: Systemic adverse reaction to an oxytocin preparation, 224
Menon V.: *see* Johanson R.
Menopausal symptoms, OD 14—a novel steroid for treatment of, 454
Menopause, irradiation induction of the, and long term follow up in patients suffering from dysfunctional uterine bleeding, 323
Menstruation induced by the antiprogestin mifepristone (RU486) compared to menstruation occurring spontaneously, histological and clinical features, 411
Mesleh R., Bashir A., Judzewitsch R., Algwiser A. and Sabagh T.: Antenatal screening for gestational diabetes; the Riyadh Armed Forces Hospital experience, 276
Metals, divalent, in serum in Nigerian mothers and their neonates, 510
Mifepristone (RU486), histological and clinical features of menstruation induced by the antiprogestin, compared to menstruation occurring spontaneously, 411
Mikkelsen A. L.: *see* Felding C.
Milk banking at Queen Charlotte's, 235
Milkins S.: *see* Schlesinger P. E.
Millar D. R. and Fothergill D. J.: The value of a histological examination of the products of conception after legal abortion, 179
Millar J.: *see* MacKenzie I. Z.
Millin retractor, modified, in gynaecology, 551
Mires G. J., Patel N. B. and Dempster J.: Review. The value of fetal umbilical artery flow velocity waveforms in the prediction of adverse fetal outcome in high risk pregnancies, 261
Mohajer M. P., Hitchcock A., Liu D. T. Y. and Cotton R. E.: Exfoliative cytology as a means of following incomplete cone biopsies: a pilot study, 149
Monitoring of normal pregnancies by daily fetal movement registration or hormone assessment. A random allocation study, 189
Montoya F.: *see* Matorras R.
Mooney E. E., Hone S. W., Keelan P. and McKenna P.: Ovarian abscess, 553
Moore W. and James D. K.: A random trial of three topical analgesic agents in the treatment of

episiotomy pain following instrumental vaginal delivery, 35
Moran D. J.: Conservative treatment of intestinal obstruction in pregnancy, 127
Morcos M. Y.: *see* Dimitry E. S.
Morfit J. M.: The incidence and prevalence of hysterectomy, 155
Morgan B.: Changes in attitude towards pain relief in labour, 236
Morgan P.: *see* Soreefan A. H.
Morse A. R.: *see* Byrne M. A.
Mortimer G., Long S. V., NiBhrolcain C. and Connolly C. E.: Histopathology of spontaneous abortion material: a comparative study of 403 cases, 109
Mor-Yosef S. and Donchin Y.: Sodium nitroprusside during pregnancy and the fetus, 320
Moscarini M.: *see* Cugini P.
Moustafa A. N.: *see* Krishnamurthy D. S.
Mucklow E. S.: Locked twins with survival of both, 532
Murphy J. F.: *see* Flannelly G.
Murphy K. W. and MacDonald D.: Fetal blood sampling in Dublin. A year's review, 194
Murty G. E., Davison J. M. and Cameron D. S.: Wegener's granulomatosis complicating pregnancy, 399

Naeem M.: *see* Jobling T. W.
Naguib K. K.: *see* Krishnamurthy D. S.
Naismith W. C. K.: *see* Emohare L. I.
Nasrat H., Warda A., Ardawi M., Jamal H. and Al-Amodi S.: Pregnancy in Saudi Arabian non-insulin dependent diabetics, 357
Nasrat H.: *see* Nicolaidis P.
Necrotising fasciitis following caesarean section, 131
Neilly I. J.: *see* Mahmood T. A.
Neilson J. P.: *see* Hanretty K. P.
Neilson J. P.: *see* McQueen D.
Newton J. R.: *see* Tang L.
Newton J. R.: *see* Winter H.
Nganwuchu A.: *see* Okonofua F. E.
NiBhrolcain C.: *see* Mortimer G.
Nicolaides K. H.: *see* Aristidou A.
Nicolaidis P., Nasrat H. and Tannirandorn Y.: Review: Fetal acardia: aetiology, pathology and management, 518
Nicolaidis P.: *see* Vaughan J. I.
Nicolini U.: *see* Ellis C. E.
Nicolini U.: *see* Fisk N. M.
Nicolini U.: *see* Maclachlan N.
Nicolini U.: *see* Vaughan J. I.
Nifedipine, preliminary observations on treatment of thrombocytopenia and impaired liver function in severe pregnancy induced hypertension with, 492
Nigeria, hydatidiform mole in, 363
Nigerian mothers and their neonates, divalent metals in serum in, 510
Nigerian woman, unilateral dizygotic twin interstitial ectopic pregnancy in a, 527
Nimmon C. C.: *see* Jobling T. W.
Nkuo K.: *see* Haloob R.
Noccioli G.: *see* Giacomello F.
Non-Hodgkin's lymphoma in pregnancy, 531
Nussey S. S.: *see* Page S. R.

Oates S.: Non-Hodgkin's lymphoma in pregnancy, 531
Obhrai M.: *see* Adeghe A. J.-H.
Obhrai M.: *see* Tang L.
O'Brien C. J.: *see* Campbell J. M.
O'Brien P. M. S.: *see* Tayob Y.
O'Connor A.: *see* Constantine G.
OD 14—a novel steroid for treatment of menopausal symptoms, 454
O'Donovan P. J., Thornton J. G., Wells M. and Peel K. R.: Para-aortic lymph node biopsy before radical hysterectomy in early carcinoma of the cervix, 335
Oestrogen receptor status and cell kinetics of three uterine mesodermal tumours, 551
Ogunniyi S. O.: Fetal sex and perinatal outcome in low birth weight babies, 392
Ogunniyi S. O., Faleyimu B. F. and Fasubaa O. B.: Spontaneous rupture of the unscarred primigravid uterus, 223
Ogunniyi S. O.: *see* Makinde O. O.
Ogunsanya O. A., Pipe N. G. J. and Hunter-Craig I. D.: Volvulus of the caecum and ascending colon in pregnancy, 47
Okonofua F. E., Onwudiegwu U. and Nganwuchu A.: Unilateral dizygotic twin interstitial ectopic pregnancy in a Nigerian woman, 527
Oláh K. S.: Episiotomy repair—suture material and short term morbidity, 503
Onwude J. L.: Necrotising fasciitis following caesarean section, 131
Onwudiegwu U.: *see* Okonofua F. E.
Onyeador M.: *see* Schlesinger P. E.
Oocyte model, a human zona free, for the investigation of sperm-oocyte interaction, 80
Oocytes, human zona free, premature luteinisation inhibits pronuclear formation in, 451
O'Regan M.: *see* Bergin A. M.
Osteogenesis imperfecta, spontaneous hip fracture in pregnancy due to, 534
Ovarian abscess, 553
Ovarian carcinoma, advanced, following previous conservative treatment of borderline tumour, 257
Ovarian disease, familial polycystic, clinical and cytogenetic studies in, 133
Ovarian disease, polycystic, maturity onset diabetes mellitus in association with, 553
Ovarian endometrioid cystadenofibroma, proliferating, associated with bilateral serous cystadenofibromata, 161
Ovarian hyperstimulation, management of, following ovulation induction with buserelin and human menopausal gonadotrophin, 330
Ovarian teratoma, benign, immunostaining to demonstrate thyroid differentiation in, 71
Ovaries, patients with polycystic, and hyperandrogenism should be investigated, 451

Ovary, primary malignant mesothelioma of, 70
Ovulation, can salivary ferning detect it? 452
Ovulation, dysfunctional, in infertile women with cervical mucus disorders, 428
Ovulation induction with buserelin and human menopausal gonadotrophin, management of ovarian hyperstimulation following, 330
Ovulation (super-) before IVF-ET, addition of growth hormone to buserelin and human menopausal gonadotrophins for, 453
Owen E. J., Mason B. A. and Jacobs H. S.: Addition of growth hormone to buserelin and human menopausal gonadotrophins for superovulation before IVF-ET, 453
Oxytocin, accidental bolus infusion of, 403
Oxytocin preparation, systemic adverse reaction to an, 224

Pace D.: *see* Campbell J. M.
Page S. R. and Nussey S. S.: Cabergoline therapy of a large prolactinoma in a bromocriptine-intolerant patient, 156
Pain after laparoscopic tubal sterilisation, percervical intrafallopian bupivacaine instillation to reduce, 145
Pain relief in labour, changes in attitude towards, 236
Papandrikos A. J.: *see* Karpathios S. E.
Papanikolaou N.: *see* Salmanidis A.
Para-aortic lymph node biopsy before radical hysterectomy in early carcinoma of the cervix, 335
Parasitic infestations, intestinal, during pregnancy: a pilot study, 95
Paraskevaides E. C. and Stone C. A.: Cervical excitation and adnexal mass caused by Meckel's diverticulitis, 156
Parvovirus infection, intra-uterine, poor prognosis associated with raised maternal serum α-fetoprotein in, 186
Pasteurella multodica, septic abortion and pyogenic pericarditis due to, 319
Patel N. B.: *see* Lennox C. E.
Patel N. B.: *see* Mires G. J.
Patriarca S.: *see* Auber G.
Pearce J. M.: *see* Frappell J. M.
Pearce J. M.: *see* McParland P.
Peattie A. P.: Pelvic floor exercises for genuine stress incontinence: cones *versus* physiotherapy, 79
Peel K. R.: *see* O'Donovan P. J.
Peen U.: *see* Felding C.
Pelvic floor exercises for genuine stress incontinence: cones *versus* physiotherapy, 79
Pelvic pain, chronic, laparoscopy and ultrasound in patients with, 419
Pereira J. G.: *see* Matorras R.
Perineal repairs, use of povidone-iodine in post-delivery: a prospective trial, 202
Perl A. J.: *see* Menashe Y.
Petersen K. R.: *see* Hørding U.
Pheby A.: *see* Jones D. C. S.
Phenytoin, seizure prophylaxis using, in severe pre-eclampsia and eclampsia, 449
Phipps J. H., Gunasekera P. C. and Lewis B. V.: Large loop excision of the transformation zone for cervical dysplasia, 542
Phipps J. H. and Lewis B. V.: Radiofrequency endometrial ablation, 460
Phipps J. H.: *see* Gunasekera P. C.
Phylactou M.: *see* Karpathios S. E.
Piccione E.: *see* Sesti F.
Pipe N. G. J.: *see* Ogunsanya O. A.
Pistofidis G.: *see* Rodin A.
Pitkin J. and Shepherd A.: Incidence of bowel symptoms associated with urinary incontinence, irritable bowel syndrome and detrusor instability, 453
Pitkin J., Williams R. and Whitty M.: Interactive television: hit or myth?, 80
Placenta, human, ultrastructural investigation of the effects of cigarette smoking on the, 289
Placental insufficiency, the significance of absent end-diastolic flow in the umbilical artery combined with reduced fetal cardiac output estimation in pregnancies at high risk for, 271
Plasma fibronectin and intra-uterine growth retardation, 75
Platelet malfunction preceding the onset of pregnancy induced hypertension, 215
Poli T.: *see* Megha A.
Polyvinyl chloride ring pessaries, a study of long term use of, without frequent change, 64
Pounder D.: *see* Luscombe F. E.
Povidone-iodine in post-delivery perineal repairs, use of: a prospective trial, 202
Povidone-iodine powder in caesarean section wounds, clinical evaluation of the use of, 41
Powell B.: Maternal spina bifida, 165 (letter)
Pre-eclampsia, disseminated intravascular coagulation and the syndrome of haemolysis, elevated liver enzymes, and low platelets in severe, 78
Premenstrual syndrome, tryptophan loading test in, 140
Prentice A. and Hipple L. J.: Middle trimester missed abortion and uterine anomalies, 219
Pressures, direct measurement of intra-uterine fetal pressures, 448
Prolactinoma, cabergoline therapy of a large, in a bromocriptine-intolerant patient, 156
Prostaglandin E_2, a random allocation comparison of intracervical, and gemeprost vaginal pessaries for induction of second trimester abortion, 117
Prostaglandin E_2, intramyometrial, and primary postpartum haemorrhage, 166 (letter)
Prostaglandin E_2, pre-induction cervical ripening with extra-amniotic and vaginal, 18
Prostaglandin E_2 gel, extra-amniotic, a comparison of the efficacy of gemeprost vaginal pessaries and, in the induction of middle trimester abortion, 304
Prostaglandin E_2 gel, the use of, for induction of labour in nulliparous patients with a Bishop score of 4 or less, 103
Prostaglandin E_2, efficacy of an intracervical preparation, Cerviprost, on cervical ripening before first trimester abortion in nulliparous patients, 120
Prostaglandin E_2 10 mg pessaries and gemeprost 1 mg,

a single blind study comparing: cervical priming before first trimester aspiration abortion, 513
Prostaglandins, induction of labour with vaginal. A random trial comparing pessaries and gels with different concentrations, 76
Pryse-Davies J.: Peer audit review: the perinatal autopsy, a historical perspective, 234
Pusey C. D.: *see* Beynon H. L. C.
Pyper R. J. D., Stafford M., Lowe D. and Curling M.: An evaluation of histological assessment of endometrial samples obtained by the 'Gynocheck' instrument, 83

Quartero R.: *see* Rodin A.
Queen Charlotte's Hospital, milk banking at, 235
Queen Charlotte's Hospital, recollections of, 232
Queen Charlotte's Hospital, a short history of, 229
Queen Charlotte's Hospital, past, present and future, a symposium, 229
Queen Charlotte's School of Midwifery, 233
Qureshi W. A.: *see* Turner M. J.

Race, epidural analgesia in labour and, 166 (letter)
Radiofrequency endometrial ablation, 460
Radio-immunoscintigraphy using stripped mucin monoclonal antibody, SM-3, in the assessment of pelvic masses, 82
Rafla N. M.: *see* Meehan F. P.
Rapkin A., Chung L. C., Reading A. and McGuire M. T.: Tryptophan loading test in premenstrual syndrome, 140
Rasmussen M. J.: *see* Turner M. J.
Read M. D.: *see* Bigrigg A.
Reading A.: *see* Rapkin A.
Rectal carcinoma in pregnancy, 533
Redfrern N.: *see* Robson S. C.
Renal agenesis, unilateral, in the female with special reference to associated malformations in the genital tract, 113
Renal failure, acute, due to obstruction of a single functioning kidney by the gravid uterus, 398
Renier M.: *see* Van Dam P. A.
Richardson T. C.: *see* Heyderman E.
Richenberg J. L. and Ellis J. D.: Poor prognosis associated with raised maternal serum α-fetoprotein in intra-uterine parvovirus infection, 186
Riddle A. F., Sharma V., Campbell S., Grudzinskas J. G. and Mason B. A.: The biochemical and ultrasound diagnosis of ectopic pregnancy in pregnancies established by *in vitro* fertilisation and embryo transfer, 81
Riley V.: *see* Wood P. L.
Rissik J. M.: *see* Al-Ghazali W. H.
Riyadh Armed Forces Hospital experience: antenatal screening for gestational diabetes, 276
Robson P. and Johnson I. R.: Carcinoma of the vulva in pregnancy, 47
Robson P.: *see* Beynon H. L. C.
Robson P.: *see* Iqbal P.
Robson P.: *see* Ruparelia B. A.
Robson S. C., Walkinshaw S., Redfrern N., De Swiet M. and Rodeck C.: Seizure prophylaxis using phenytoin in severe pre-eclampsia, 449
Rodeck C.: *see* Robson S. C.
Rodeck C. H.: Fetal surgery, 237
Rodeck C. H.: *see* Ellis C. E.
Rodeck C. H.: *see* Fisk N. M.
Rodeck C. H.: *see* Maclachlan N.
Rodeck C. H.: *see* Vaughan J. I.
Rodin A., Mashiter G., Quartero R., Pistofidis G., Fogelman I., Maisey M. N., Chapman M. G. and Clarke S.: Thyroid function in normal pregnancy, 89
Rodriguez-Escudero F. J.: *see* Matorras R.
Roespsdorff C.: *see* Hørding U.
Rogers A. W.: *see* Li T. C.
Rogers M. S. and Chang A. M. Z.: Perinatal asphyxia: development of an 'Independence Bayes' computer prediction model, 26
Roland J.: *see* Cullimore J.
Rollason T. P.: *see* Bradgate M. G.
Rollason T. P.: *see* Ferryman S. R.
Rotunda Hospital, ventrosuspension—five years of practice reviewed, 415
Rotunda Hospital, review of urinary tract fistulas 1976–1986, 54
Rubella syndrome, congenital, following previous maternal immunity, 404
Ruparelia B. A. and Harris V. G.: Cytomegalovirus in women with cervical intra-epithelial neoplasia, 153
Ruparelia B. A., Robson P., Iqbal I., Johnson I. R. and Collins M. F.: Use of povidone-iodine in post-delivery perineal repairs: a prospective trial, 202
Ruparelia B. A.: *see* Iqbal P.
Ryan K.: *see* Cullinane C.
Ryder T.: *see* Bates R. G.
Rymer J., Chapman M. and Fogelman I.: OD 14—a novel steroid for treatment of menopausal symptoms, 454

Sabagh T.: *see* Mesleh R.
Salmandis A., Vartholomeos A., Destouni H., Margaritis B. and Papanikolaou N.: Primary malignant mesothelioma of the ovary, 70
Salpingography, radio-isotopic, and hysterosalpingography, evaluation of tubal patency with, 538
Salpingoscopy, 457
Samra J.: *see* Tang L.
Sandler M., Glover V. and Hannah P.: Postnatal depression: predisposition and prediction, 238
Sangala A. V.: *see* Browning J. J.
Sanmuganathan L. and Hurley R.: Intestinal parasitic infestations during pregnancy: a pilot study, 95
Saudi-Arabian non-insulin dependent diabetics, pregnancy in, 357
Sawers R. S.: *see* Tang L.
Scavo D.: *see* Cugini P.
Schiller's test, clinical value of, in colposcopic examination of the uterine cervix, 545
Schlesinger P. E. and Milkins S.: Endometrial evidence of ovulation in regular 'pill' users, 79

Schlesinger P. E., Onyeador M., Milkins S., Jarvis K. J. and Etheridge R. J.: Choriocarcinoma masquerading as a Bartholin's abscess in a 17-year-old multipara, 52
Seal D. V.: *see* Turner M. J.
Seizure prophylaxis using phenytoin in severe pre-eclampsia and eclampsia, 449
Semen characteristics in subfertile men with spermatozoal auto-antibodies, 56
Sen S.: *see* Daw E.
Serhal P. F. and Katz M.: Infertility due to a short follicular phase, 256
Sesti F., Ticconi C., De Santis L. and Piccione E.: Clinical value of Schiller's test in colposcopic examination of the uterine cervix, 545
Sex, fetal, and perinatal outcome in low birth weight babies, 392
Sexing, fetal, by chorionic villus biopsy and *in situ* DNA hybridisation with a Y probe and biotin-streptavidin-polyalkaline phosphatase labelling, 1
Sexual behaviour, has it really changed with time?, 351
Sharland M. and Lenney W.: Congenital rubella syndrome following previous maternal immunity, 404
Sharma V.: *see* Riddle A. F.
Shaw R. W.: *see* Irvine L. M.
Shepherd A.: *see* Pitkin J.
Shepherd J. H.: *see* Jobling T. W.
Sheriar N. K.: *see* Bhathena R. K.
Sherlock D.: *see* Johanson R.
Shrivastav P.: *see* Tayob Y.
Sick leave, pregnancy related disease, hospital admission: a Danish national representative sample, 13
Skehan M.: *see* Turner M. J.
Skingle J., de Louvois J., Hurley R. and Harvey D. R.: C-reactive protein response *in utero*, 367
Smith A. M.: Carcinoma of the colon and twin pregnancy, 128
Smith A. R. B.: *see* Li T. C.
Smith J. R. and Grant J. M.: The incidence of glove puncture during caesarean section, 317
Sodium nitroprusside during pregnancy and the fetus, 320
Soothill P.: Successful treatment of non-immune hydrops, 450
Soreefan A. H. and Morgan P.: Extra-uterine contraceptive coil despite visible threads through the cervix, 555
Spencer J. A.: Pseudo-obstruction of the colon following caesarean section, 321
Spencer J. A. D.: *see* Kinsella S. M.
Spina bifida, maternal, 165 (letter)
Stafford M.: *see* Pyper R. J. D.
Stampe-Sørensen S., Wilken-Jensen C., Heisterberg L., Bock J. E. and Berget A.: A random allocation comparison of intracervical prostaglandin E_2 and gemeprost vaginal pessaries for induction of second trimester abortion, 117
Steel S.: *see* McParland P.
Steel S. A.: *see* Frappell J. M.
Sterilisation, laparoscopic, by diathermy in the puerperium, revisited, 463 (letter)
Sterilisation, laparoscopic tubal, percervical intrafallopian bupivacaine instillation to reduce postoperative pain after, 145
Sterilisation, tubal: medicolegal aftermath, 432
Sterilisation operations, a comparison of Filshie and Hulka-Clemens clips used in, 251
Stone C. A.: *see* Paraskevaides E. C.
Strickland P.: *see* Jonas E. G.
Strong J. M.: *see* Cullinane C.
Sturdee D. W.: *see* Mahendran S. M.
Sullivan M. H. F., Johnson S. and Elder M. G.: Platelet malfunction preceding the onset of pregnancy induced hypertension, 215
Sumner D.: Rectal carcinoma in pregnancy, 553
Sumner D. and Goodman J. D. S.: Comparison of the outcome of laser and cold coagulation ablation of the cervix, 82
Sundaresan V.: *see* Duffy S.
Sundereshan T. S.: *see* Krishnamurthy D. S.
Supine inferior vena cava compression, transverse lie is a risk factor for, 130
Surgery, fetal, 237
Surgery, minimally invasive: the future, 460
Sutherland A. M.: Ectopic pregnancy and gynaecological tuberculosis, 425
Sutherland A. M.: The place of surgery in the treatment of gynaecological tuberculosis, 248
Sutton C.: Laparoscopic laser surgery: 8 years experience, 458

Tamale-Sali E. G.: Asherman's syndrome following an uneventful caesarean section, 158
Tang L., Obhrai M., Docker M. F., Sawers R. S. and Newton J. R.: Dysfunctional ovulation in infertile women with cervical mucus disorders, 428
Tang L., Samra J. and McCormack J.: Influence of birth weight on the mode of delivery in primigravidae, 526
Tannirandorn Y.: *see* Fisk N. M.
Tannirandorn Y.: *see* Nicolaidis P.
Tannirandorn Y.: *see* Vaughan J. I.
Taylor D. J.: *see* Lennox C. E.
Taylor-Robinson D.: *see* Byrne M. A.
Tayob Y., Ejim O. S., Shrivastav P., O'Brien P. M. S. and Dandona P.: Plasma fibronectin and intra-uterine growth retardation, 75
Television, interactive: hit or myth, 80
Thomsen S. G., Legarth J., Weber T. and Kristen J.: Monitoring of normal pregnancies by daily fetal movement registration or hormone assessment. A random allocation study, 189
Thornton J. G., Griffin N. R. and Wells M.: The cell kinetics and oestrogen receptor status of three uterine mesodermal tumours, 551
Thornton J. G., Lewis F. A., Linton G., Wells M., Tyrell S. and Lilford R. J.: Fetal sexing by chorionic villus biopsy and *in situ* DNA hybridisation with a Y probe and biotin-streptavidin-polyalkaline phosphatase labelling, 1

Thornton J. G.: *see* O'Donovan P. J.
Thrombocytopenia and impaired liver function in severe pregnancy induced hypertension with nifedipine, preliminary observations on treatment of, 492
Thrombocytopenic purpura, neonatal, and hepatosplenomegaly, chorioangioma associated with elevated maternal α-fetoprotein, 221
Thrombosis, bilateral deep vein, in a pregnant woman with antithrombin III deficiency: treatment of acute episodes and preparation for delivery with replacement treatment, 220
Thyroid function in normal pregnancy, 89
Ticconi C.: *see* Sesti F.
Transverse lie is a risk factor for supine inferior vena cava compression, 130
Tryptophan loading test in premenstrual syndrome, 140
Tuberculosis, gynaecological, ectopic pregnancy, 425
Tuberculosis, gynaecological, the place of surgery in the treatment of, 248
Tuberculosis of the cervix, co-existent carcinoma, 72
Tuffnell D. J., Buchan P. C., Albert D. and Tyndale-Biscoe S.: Fetal heart rate responses to maternal exercise, increased maternal temperature and maternal circadian variation, 387
Tumours, uterine mesodermal, cell kinetics and oestrogen receptor status, 551
Turner G.: *see* Cullimore J.
Turner M. J., Egan D. M., Qureshi W. A., Skehan M., Black A., Darrell J. H., Seal D. V., Gordon H. and Hawkins D. F.: Use of cephradine prophylaxis of infection after caesarean section; stepwise logistic regression analysis of relevant factors, 204
Turner M. J. and Rasmussen M. J.: Epidural analgesia in labour, and race, 166 (letter)
Turner M. J.: *see* Boyd W. D.
Turner M. J.: *see* Cullinane C.
Turner M. J.: *see* Flannelly G.
Turner M. J.: *see* Fox R.
Twin interstitial ectopic pregnancy, unilateral dizygotic, in a Nigerian woman, 527
Twin pregnancy, carcinoma of the colon and, 129
Twin pregnancy, regression of fetal ascites in, 44
Twin pregnancy, unilateral tubal, 165 (letter)
Twin pregnancy, in a uterus didelphys, 44, 218
Twin pregnancy: can perinatal mortality be improved?, 40
Twins, locked, with survival of both, 532
Tynan M.: *see* Johnson P.
Tyndale-Biscoe S.: *see* Tuffnell D. J.
Tyrell S.: *see* Thornton J. G.

Ülner M.: *see* Demir R.
Ultrasound and laparoscopy in patients with chronic pelvic pain, 419
Ultrasound diagnosis of unsuspected uterine malformation in abortion, 126
Ultrasound screening, the impact of, on the apparent incidence of prolonged pregnancy, 213
Umbilical artery, does absent end diastolic flow in the, always signify chronic compromise?, 75
Umbilical artery, the clinical implications of absent end diastolic frequencies in, 74
Umbilical artery, significance of absent end-diastolic flow in, combined with reduced fetal cardiac output estimation in pregnancies at high risk for placental insufficiency, 271
Umbilical artery flow velocity waveforms, the value of, in the prediction of adverse fetal outcome in high risk pregnancies: review, 261
Umbilical cord, true knots in the: clinical findings and fetal consequences, 383
Umbilical endometriosis successfully treated with danazol, 553
Umbilical metastases in patients with gynaecological malignancy, 338
Ureteric calculi, palpable—a differential diagnosis of ectopic pregnancy, 342
Urinary incontinence, irritable bowel syndrome and detrusor instability, incidence of bowel symptoms associated with, 453
Urinary tract fistulas in the Rotunda Hospital from the years 1976–1986, review, 54
Uterine bleeding, dysfunctional, irradiation induction of the menopause and long term follow up in patients suffering from, 323
Uterine horn, pregnancy in a rudimentary: diagnosis and complications, 216
Uterine leiomyomata, paraneoplastic cerebellar degeneration associated with, 66
Uterine malformation in abortion, ultrasound diagnosis of unsuspected, 126
Uterine perforation: a complication of molar pregnancy follow up, 50
Uterus, gravid, acute renal failure due to obstruction of a single functioning kidney by, 398
Uterus, ruptured, increasing incidence and declining mortality in Enugu, 306
Uterus, spontaneous rupture of the unscarred primigravid, 223
Uyttenbroeck F.: *see* Van Dam P. A.

Vaginal transitional cell carcinoma, primary, 69
Van Dam P. A., Renier M., Baekelandt M., Buytaert P. and Uyttenbroeck F.: Disseminated intravascular coagulation and the syndrome of haemolysis, elevated liver enzymes and low platelets in severe pre-eclampsia, 78
Van Den Hof M. C.: *see* Aristidou A.
Van Der Weiden, R. M. F.: Hydatid disease in pregnancy, 128
Vartholomeos A.: *see* Salmanidis A.
Vassiliou-Souvantzoglou I.: *see* Karpathios S. E.
Vaughan J. I., Nicolini U., Nicolaidis P., Fisk N. M., Tannirandorn Y., Fusi L. and Rodeck C. H.: Does hypoxaemia and acidaemia at blood sampling relate to perinatal outcome in intra-uterine growth retardation?, 450
Ventrosuspension—five years of practice at the Rotunda Hospital reviewed, 415

Victor Bonney Society Meeting, Chepstow, Gwent, 30 March–1 April, 1990, scientific proceedings of, 447
Victor Bonney Society Meeting, Chepstow, 14–16 April, 1989, scientific proceedings of, 74
Volvulus of the caecum and ascending colon, in pregnancy, 47
Vulva, carcinoma of, in pregnancy, 47

Wales and England, fetal monitoring, current practice in, 281
Walker P.: *see* Giles J.
Walkinshaw S.: *see* Robson S. C.
Walkinshaw S. A. and Crosfill F.: Labour with epidural analgesia: second thoughts about the second stage, 499
Ward R.: *see* Johanson R.
Ward S. J.: Intra-uterine contraceptive device and leukaemia, 163
Warda A.: *see* Nasrat H.
Wardle P. G.: *see* Fox R.
Warfarin therapy, feto-maternal haemorrhage complicating, during pregnancy, 401
Weber T.: *see* Thomsen S. G.
Wegener's granulomatosis complicating pregnancy, 399
Weight, birth, influence of, on the mode of delivery in primigravidae, 526
Weight, fetal, re-evaluation of clinical estimation of, a comparison with ultrasound, 199
Weight, fetal sex, and perinatal outcome in low birth, babies, 392
Weight, very low birth, babies: outcome related to obstetric and neonatal variables, 97
Wells M.: *see* O'Donovan P. J.
Wells M.: *see* Thornton J. G.
Wheatley R. G., Hood G. and Madej T. H.: Selective prophylaxis with gastric antacids. Identifying high risk parturients and auditing selective H_2 receptor antagonist administration, 106
White B., Lamont R. F. and Letchworth A. T.: An approach to the problem of recurrent middle trimester abortion, 8
Whittle M. J.: *see* McQueen D.
Whitty M.: *see* Pitkin J.
Wilcox A. H.: *see* Afnan M.
Wilken-Jensen C.: *see* Stampe-Sørensen S.
Williams R.: *see* Pitkin J.
Wilson J. A.: *see* Johanson R.
Winter H., Mackenzie W. E. and Newton J. R.: Successful pregnancy following liver transplantation in a patient taking cyclosporin, 396
Wood P. L., Kirwan P. H. and Riley V.: Primary herpetic cervicitis in pregnancy: a diagnostic problem, 46
Wyatt M. G., Clark T. J. and Hammonds J. C.: Primary vaginal transitional cell carcinoma, 69

Zondek L. H.: *see* Zondek T.
Zondek T. and Zondek L. H.: Unilateral renal agenesis in the female with special reference to associated malformations in the genital tract, 113

Journal of Obstetrics and Gynaecology (1990) **10**

Index

Supplements 1 & 2, Volume 10/1989–1990

Abu-Osba Y. K., Mallouh A. A., Hann R. W. and Tolley S.: Pattern of and risk factors for neonatal sepsis in Saudi Arab newborn, Suppl. 6, S23
Ahmed A. H.: *see* Manoj M.
Al-Frayh A. S.: Current trends in infant feeding in Saudi society, Suppl. 1, S21
Al-Tawil K.: see Kayyali M. M.
Antenatal care in Qatar, Suppl. 1, S3

Blood loss, reaction to at delivery, Suppl. 2, S13
Bloomfield T. M. and Gordon H.: Reaction to blood loss at delivery, Suppl. 2, S13
Bobeck H. E.: Antenatal care in Qatar, Suppl. 1, S3
Breast feeding practices in Qatar, Suppl. 1, S19

Dewhurst J.: The prevention of postpartum haemorrhage. A review, Suppl. 2, S1

Eclampsia: dark room care or bright lights of intensive care, Suppl. 1, S13
El-Nayal Z.: see Manoj M.
El-Nayal Z. M.: The development and practice of obstetrics in Qatar, Suppl. 1, S1

Feeding, current trends in infant, in Saudi society, Suppl. 1, S21

Gordon H.: Postpartum haemorrhage—what have we learned? Suppl. 2, S25
Gordon H.: see Bloomfield T. H.

Haemorrhage, postpartum, the current problem, Suppl. 2, S4
Haemorrhage, postpartum, the role of prostaglandins in treatment, Suppl. 2, S21
Haemorrhage, postpartum—what have we learned?, Suppl. 2, S25
Haemorrhage, the prevention of postpartum. A review, Suppl. 2, S1
Hann R. W.: *see* Abu-Osba Y. K.
Haque K. N.: 'Pentaglobin' in the treatment of neonatal sepsis, Suppl. 1, S25
Harvey, D.: Neonatal meningitis, Suppl. 1, S27
Hawkins, D. F., Management of premature labour, Suppl. 1, S10
Hawkins D. F.: Maternal mortality and its prevention, Suppl. 2, S17
Hayashi R. H.: The role of prostaglandins in the treatment of postpartum haemorrhage, Suppl. 2, S21

Invasive procedures, in prenatal diagnosis, Suppl. 1, S6

Kayyeli M. M. and Al-Tawil K.: Breast feeding practices in Qatar, Suppl. 1, S19
Khan A. S. S. I.: Neonatology in Qatar, Suppl. 1, S16
Knott P. D.: The current problem of postpartum haemorrhage, Suppl. 2, S4

Labour, management of premature, Suppl. 1, S10
Labour, management of the third stage. A midwife's view, Suppl. 2, S10
Labour, management of the third stage: is prophylaxis still necessary and what would be the best agent?, Suppl. 2, S7
Lamont R. F.: Management of the third stage of labour: is prophylaxis still necessary and what would be the best agent?, Suppl. 2, S7
Logue M.: Management of the third stage of labour. A midwife's view, Suppl. 2, S10

Mallouh A. A.: see Abu-Osba Y. K.
Manoj M., El-Nayal Z. and Ahmed A. H.: Eclampsia: dark room care or bright lights of intensive care, Suppl. 1, S13
Meningitis, neonatal, Suppl. 1, S27
Midwife's view, management of the third stage of labour, Suppl. 2, S10
Mortality, maternal, and its prevention, Suppl. 2, S17

Neonatology, in Qatar, Suppl. 1, S16

Obstetrics, in Qatar, development and practice, Suppl. 1, S2

Pentaglobin, in the treatment of neonatal sepsis, Suppl. 1, S25
Prevention of postpartum haemorrhage. A review, Suppl. 2, S1

Prostaglandins, role in the treatment of postpartum haemorrhage, Suppl. 2, S21

Qatar, antenatal care in, Suppl. 1, S3
Qatar, breast feeding practices in, Suppl. 1, S19
Qatar, neonatology in, Suppl. 1, S16
Qatar, the development and practice of obstetrics in, Suppl. 1, S2

Reynolds J. W.: Intra-uterine growth retardation, Suppl. 1, S8
Rodeck C. H.: Invasive procedures in prenatal diagnosis, Suppl. 1, S6

Saudi Arab newborn, pattern of risk factors for neonatal sepsis, Suppl. 1, S23
Saudi society, current trends in infant feeding, Suppl. 1, S21
Sepsis, neonatal, pentaglobin in the treatment of, Suppl. 1, S25
Sepsis, pattern of and risk factors for neonatal, in Saudi Arab newborn, Suppl. 1, S23

Tolley S.: see Abu-Osba Y. K.

Uterine (intra-) growth retardation, Suppl 1, S8